How to: clear & synchronize BMW CAS with EGS using <u>CGDI Prog BMW MSV80 key</u> programmer.

Remove EGS computer and connect with OBD following according to software wiring diagram:





After make connection, open <u>CGDI BMW</u> software



Choose "EGS ISN" function



Automatically connect to view relevant information



The EGS will be programmed. Click YES to confirm.

BMW EGS ISN	Feature version:0001	_ ×
VIN: WBA1A12070VV264 SWEL_00000A51_000_077 SWFL_00000255_077_133 SVK 12 [2016/12/08] HWEL_0000022A_004_012 BTLD_00000C7C_012_068 SWFL_00BMW_EGS_ISM SVK 13 HWEL_00 BTLD_0 VIN: WBA1A1207 SWFL_0 SWFL_0 SWFL_0	19 000 003 001 000	Wiring diagram
OBD is connecting OBD KWP-CAN 500kbps car battery voltagel	connection is successful 2.29V	Clear ISN
	Number of programming file	s: <b>B</b> <u><u></u><u></u><u></u><u></u><b>5</b></u>

- 1. Confirm the VIN
- 2. Support modification

			BMW EGS ISN	Feature
			VIN: WBA1A12070VV26419	
			SWEL 00000481 000 011 0	uu .
BMW EGS ISN	Feature version:0001	- ×	SWFL_00000C55_077_133_0	96
			SVK 12 [2016/12/08]	
VIN: WBAIA120709926419			HWEL 0000022A 004 012 0	03
SAFL 00000481 000 077 0	100		BTLD 0000007C 012 068 0	01
SWEL_00000C55_0//_133_0	190		SWFL 00000A81 000 077 0	00
SVR 12 [2016/12/08]	103	~	SWEL 00000055 077 133 0	96
BWEL 00000228 004 012 0	103	Wiring diagram	mm 12 [2019/04/201	20
STED_00000001C_012_008_0	100		SVA 15 [2010/04/25]	
SWET, 00000055 077 133 0	96		HWEL_0000022A_004_012_0	03
SVE 13 [2018/04/29]			BTLD_00000C7C_012_068_0	01
EWEL 0000022A 004 012 0	03		SWFL_00000A81_000_077_0	00
BTLD 0000007C 012 068 0	01		SWFL_00000C55_077_133_0	96
SWF1. 00000A81 000 077 0	000	EGE status		
SWFL 00000C55_077_133_0	196	1. 10	Fepare the programming	a ECU
			Security authentication	ie in mon
repare the programmin	a ECU		Safaty contification th	n an an banda
Security authentication	n is in progress		Flash is being strand	recugn
Safety certification t	hrough	Clear ISN	rlash is being erased	
Flash is being erased			erase Flash success	
erase Flash success		$\cap$	The ECU is being progr	anned
The ECU is being progr	rammed	$(\mathbf{A})$		
				724
	6 <del>1</del> .			Number o
	Number of programming fil.	es: 1/2 Reset Adapter		

Programming module



EGS ISN Cleared.

The connection will be terminated and the car EGS will be automatically synchronized.

www.obdii365.com